

SAFETY DATA SHEET

SECTION 1 ◆ IDENTIFICATION

Coffeyville Resources Nitrogen Fertilizers P.O. Box 5000

Coffeyville, Kansas 67337

FOR EMERGENCY SOURCE INFORMATION CONTACT:

- > SDS Assistance: (620) 251-4000
- Information (620) 252-4265
- > CHEMTREC: (800) 424-9200 (24 hour contact)
- > CANUTEC: (613) 996-6666
- ➤ SETIQ: 91-800-00214

GHS PRODUCT IDENTIFIER: Urea Ammonium Nitrate (UAN) 28% and 32%

CHEMICAL FAMILY: Inorganic and Organic Nitrogen Compound

PRODUCT USES: Used primarily as

fertilizer

SECTION 2 * HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Serious eye damage/eye irritation - Category 2A

GHS LABEL ELEMENTS

Urea Ammonium Nitrate (28 and 32%)

GHS PICTOGRAM SIGNAL WORD



Warning

HAZARD STATEMENTS

Causes serious eye irritation

PRECAUTIONARY STATEMENTS

Prevention

Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

Response

If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses if present and easy to do so.

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Storage

Keep container tightly closed and store away from incompatible materials.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

SUPPLIER INFORMATION

Coffeyville Resources Nitrogen
Fertilizers

P.O. Box 5000

Coffeyville, Kansas 67337

SECTION 3 ▼ COMPOSITION/INFORMATION OF INGREDIENTS

Ingredient	CAS Number	PERCENTAGE (%)
Ammonium Nitrate	6484-52-2	37.9-47.6
Urea	57-13-6	28.7-36.1



SECTION 4 + FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower lids, Get medical aid.

SKIN: If material comes in contact with the skin, promptly wash the contaminated skin with water. If material penetrates the clothing, promptly remove the clothing and wash the skin with water. If irritation persists after washing, get medical attention.

INGESTION: Rinse mouth with water and afterwards drink plenty of water. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical attention.

INHALATION: If a person breathes in large amounts of this material, move the exposed person to fresh air at once. Other measures are usually unnecessary. If not breathing, give cardiopulmonary resuscitation

NOTE TO PHYSICIAN: TREAT SYMPTOMATICALLY AND SUPPORTIVELY

SECTION 5 # FIRE-FIGHTING MEASURES

Slight fire hazard. When water evaporates from this product residues may contain ammonium nitrate. Solid ammonium nitrate when sensitized during decomposition may become unstable and explosive.

SUITABLE EXTINGUISHING MEDIA: Use fire extinguishing media appropriate for surrounding materials.

HAZARDOUS REACTIONS/DECOMPOSITION: Material will not burn, but thermal decomposition may result in flammable/toxic gases being formed after material evaporates to dryness. These products include nitrogen oxides, ammonia, ammonium cyanate and carbon monoxide.

SPECIAL PROTECTIVE ACTIONS FOR FIREFIGHTERS: For fires involving this material, do not enter any enclosed or confined space without proper protective equipment. This may include self-contained breathing apparatus to protect against the hazardous effects of combustion products and oxygen deficiencies. If firefighters cannot work upwind of the fire, respiratory protective equipment must be worn. Cool tanks and containers exposed to fire with water. Notify appropriate authorities if liquid enters sewer/waterways.

SEE SECTION 9 FOR FLAMMABILITY PROPERTIES

SECTION 6 * ACCIDENTAL RELEASE MEASURES					
PERSONAL PRECAUTIONS	Ensure adequate ventilation. Stop leak if you can do so without risk. Use personal protective equipment as necessary as recommended in section 8 of the SDS.				
METHODS FOR CONTAINMENT AND METHODS FOR CLEANING UP	Collect or recover any reusable product and prevent entry into waterways, drains and sewers. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Dike far ahead of liquid spill for later use or disposal.				
OTHER INFORMATION	None				
SEC	TION 7 💥 HANDLING AND STORAGE				
Prior to working with this p	roduct workers should be trained on its proper handling and storage.				
PRECAUTIONS FOR SAFETY	> Avoid contact with skin and eyes.				
HANDLING	Keep away from heat, sparks, and open flame!				
STORAGE PROCEDURES	 Store 28% UAN at temperatures above 1 °F. Store 32% UAN at temperatures above 35 °F. Keep container tightly closed and in a well-ventilated place. Store away from incompatible materials. Keep this material away from food, drink and animal feed. 				
INCOMPATIBILITIES	 Incompatible with strong reducing agents or other oxidizer. Possible incompatibility with finely powdered metals (cadmium, copper, lead, cobalt, nickel, bismuth, chromium, magnesium, zinc, sodium, potassium and aluminum). May explode by detonation, heat or shock when evaporated to near dryness. Solution may detonate if subjected to heat and pressure. 				



SECTION 8 # EXPOSURE CONTROLS / PERSONAL PROTECTION					
EXPOSURE LIMITS					
Chemical Name	ACGIH TLV (2013)	OSHA PEL	NIOSH IDLH		
Ammonium Nitrate	TWA: Not Applicable STEL: Not Applicable	TWA: Not Applicable STEL: Not Applicable	Not Applicable		
Urea	TWA: Not Applicable STEL: Not Applicable	TWA: Not Applicable STEL: Not Applicable	Not Applicable		

ENGINEERING CONTROLS: Use adequate ventilation, as needed.

PERSONAL PROTECTIVE EQUIPMENT

- **EYES:** ANSI Z87.1 approved eye protection should be worn whenever there is a likelihood of any type of exposure. Suitable eyewash station should be available. Contact lenses must not be worn.
- > SKIN/BODY: Chemical protective clothing may be recommended based on degree of exposure. Note: The resistance of specific material may vary from product to product as well as with degree of exposure. Consult manufacturer specifications for specific information.
- ➤ HAND PROTECTION: Gloves constructed of PVC, nitrile or equivalent is recommended. Consult manufacturer specifications for specific information.
- **RESPIRATORY PROTECTION:** Generally not required.
- > OTHER HYGIENIC AND WORK PRACTICES: Safety shower and eyewash or equivalent should be available for emergency use. Use good personal hygiene practices. In case of skin contact, wash with mild soap and water or a waterless hand cleaner. Immediately remove soaked clothing and wash thoroughly before reuse.

SECTION 9 ← PHYSICAL AND CHEMICAL PROPERTIES				
BOILING POINT (760 MM HG): ~236 °F/~113 °C		PERCENT VOLATILE BY VOLUME: Not applicable		
SPECIFIC GRAVITY ($H_2O = 1$): $28\% = 1.28$ 32% = 1.33		VISCOSITY UNITS, TEMP: Not Applicable		
EVAPORATION RATE (BuAc = 1): Not applicable VA		VAPOR DENSITY (AIR =1): Not Applicable		
VAPOR PRESSURE AT 100 °F: 24-39 mm Hg SOI		SOLUBILITY IN WATER: Soluble		
APPEARANCE AND ODOR: Clear liquid material, slight ammonia (pungent) odor.				
FLASH POINT: (Method Used) Not Applicable		FLAMMABLE LIMITS:	LEL: Not Applicable UEL: Not Applicable	
AUTOIGNITION TEMPERATURE: Not Applicable		VOC CONTENT: Not Applic	cable	

SECTION 10 X STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable under normal temperatures and pressures

HAZARDOUS REACTION POTENTIAL: Will not occur

CONDITIONS TO AVOID: Contact with incompatible materials. Heat, sparks, flames, elevated temperatures. UAN will form urea nitrate when mixed with nitric acid at low pH. Urea nitrate may become unstable and/or explosive under certain conditions.

INCOMPATIBLE PRODUCTS: Incompatible with strong reducing agents or other oxidizers. Possible incompatibility with finely powdered metals (cadmium, copper, lead, cobalt, nickel, bismuth, chromium, magnesium, zinc, sodium, potassium and aluminum).

MATERIALS TO AVOID: Reacts violently with strong oxidants, nitrites, inorganic chlorides, chlorites and perchlorates causing fire and explosion hazard.

HAZARDOUS DECOMPOSITION PRODUCTS: These products include nitrogen oxides, ammonia, ammonium cyanate and carbon monoxide.

HAZARDOUS POLYMERIZATION: Has not been reported



SECTION 11 TOXICOLOGICAL INFORMATION									
UAN									
UAN as a product may cause irritation to eyes, skin, nose and throat.									
			AM	MONIU	M NIT	RATE			
				Tox	cicity				
Type Of Dose	Specie	Result	Type Of Dose	Spe	ecie	Result	Type Of Dose	Specie	Result
LD _{50(oral)}	Rat	2,217 mg/Kg	LC _{50(inh)} Rat (15 minut			No data available	LC _{50(inh)}	Rat (4 hours)	No data available
Specific organ available	toxicity, sin	gle exposure	: No data		Speciavail		icity, repeate	ed exposure: N	o data
avanaore			CA	ARCINO	l				
IARC				III OII (C		ot Listed			
NTP						ot Listed			
California	(Prop 65):	NIOS	SH: Not List	ted		ACGIH: No	ot Listed	OSHA:	Not Listed
NOUL		 [LITACENICI	TERATO	CENICI	ITV AN	D REPRODUC	TIVE FEEL	TC TC	
Respiratory or				GENICI		cell mutager			
Reproductive						ogenicity: No			
Skin Corrosion	•					us eye damag			
Synergistic eff						ration hazard:			
RTECS #: BR									
				Ui	REA				
					cicity				
Type Of Dose	Specie	Result	Type Of Dose Spec			Result	Type Of Dose	Specie	Result
LD _{50(oral)}	Rat	8,471 mg/Kg	LC _{50(inh)} Rat			No data available	LC _{50(inh)}	Rat (4 hours)	No data available
Specific organ available	toxicity, sin		: No data	1 (10 11		ific organ tox	icity, repeate	ed exposure: N	
avanaore			CA	ARCINO					
IARC			<u> </u>	iii ii ii		ot Listed			
NTP						ot Listed			
California		NIOS	SH: Not List	ted	ACGIH: Not Listed		OSHA:	Not Listed	
Not Listed MUTAGENICITY, TERATOGENICITY AND REPRODUCTIVE EFFECTS									
Respiratory or Skin sensitization: No data available Germ cell mutagenicity: No data available									
	Reproductive toxicity: No data available Teratogenicity: No data available Teratogenicity: No data available								
Skin Corrosion/irritation: No data available Serious eye damage: No data available									
Synergistic effects: No data available Aspiration hazard: No data available									
RTECS #: YR6250000									
SECTION 12 * ECOLOGICAL INFORMATION									
UAN									
UAN as a product is considered to be of low toxicity to aquatic organisms as defined by the Environmental Protection Agency. It is soluble in water. Avoid spills or releases in the waterways. Not listed as a marine pollutant.									
AMMONIUM NITRATE									
TOXICITY									
Type Of Do	ose	Specie	Resu	lt	Ty	pe Of Dose	Spec	ie	Result

MATERIAL NAME: UREA AMMONIUM NITRATE (UAN) 28% AND 32%



SDS #: 240-002

			_				
LC50	Daphnia magna	No data available Studies based on ammonia	LC50	Fathead Min	No data available Studies based on ammonia		
PERSISTENCE AND DEGRADABILITY/BIOACCUMULATIVE POTENTIAL/ MOBILITY IN SOIL							
Can degrade to ammonia in the environment. Can be toxic to aquatic life and spills may cause increased biochemical oxygen demand (BOD).							
		UR	EEA				
		Toxi	CITY				
Type Of Dose	Specie	Result	Type Of Dose	Specie			
EC ₅₀	Daphnia magna	3,910 mg/L (96 hours)	LC ₅₀ Fathead		(96 nours)		
			CUMULATIVE POTEN		LITY IN SOIL		
In soil, urea degrade	1 1						
			SAL CONSIDER	ATIONS			
Dispose of in acco							
Waste Disposal M							
Contaminated Pacl							
			DRTATION INFO				
Not Meant To Be A	ll Inclusive - Check	Local, State, And Fo	ederal Laws And Re	gulations			
Element		U.S. DOT	IMDG		IATA		
UN Number	r						
UN Proper Shippin	g Name						
Hazard Clas	No	Not Regulated Not Regulate		ed	Not Regulated		
Placard/Labe	el				-		
Environmental H	azard						
Packing Grou	ıp						
	SECTIO	N 15) REGUL	ATORY INFORI	MATION			
	Age				Listing		
OSHA	5 7						
40 CFR Part 355 (EPCRA)					Not Listed		
40 CFR Part 302 (C	ERCLA)		Not Listed				
40 CFR Part 370 (Hazardous Chemical Reporting: Community Right to Know SARA 304/311/312: Extremely hazardous substance					Listed		
40 CFR Part 372 (Toxic Chemical Release Reporting: Community Right to Know) SARA 313					Listed		
TSCA Inventory					Listed		
EPA Form R Toxic Chemical Release Inventory					A nitrate compound is covered by TRI regulations only when in water and only if dissociated.		
Clean Air Act Section 112 Hazardous Air Pollutants (HAPs) Not Listed							
					Listed based on free ammonia		
State Regulations: Massachusetts, California, New Jersey, and Pennsylvania					Ammonium Nitrate		
State Regulations: C	alifornia		Not Listed				



SECTION 16 # OTHER INFORMATION



NFPA LABEL



HMIS III LABEL

Personal Protection Index
National Paint and Coatings
Association recommends that PPE
codes be determined by the
employer, who is familiar with the
actual conditions under which
chemicals in the facility are used.

Acronym List					
°F=degrees Fahrenheit	°C=degrees Celsius	ACGIH= American Conference of Industrial Hygienists			
APR=Air Purifying Respirator	BCF= Bioconcentration Factor	BuAc=Butyl Acetate			
CANUTEC= Canadian Transport Emergency Centre	CAS=Chemical Abstract Service	CERCLA= Comprehensive Environmental Response, Compensation, and Liability Act			
CHEMTREC= Chemical Transportation Emergency Center	CNS=Central Nervous System	CWA=Clean Water Act			
DOT=Department of Transportation	EC50= Effective Concentration Fifty	EPA=Environmental Protection Agency			
g/Kg=Grams per Kilogram	g/M³=Grams per Cubic Meter	GHS=Global Harmonization System			
H ₂ O=Water	HAP=Hazardous Air Pollutants	HMIS= Hazardous Materials Identification System			
IARC= International Agency for	IATA= International Air Transport	IMDG= International Maritime			
Research on Cancer	Association	Dangerous Goods			
LC ₅₀ =Lethal Concentration Fifty	LD ₅₀ =Lethal Dose Fifty	LEL=Lower Explosive Limit			
Log P _{ow} =Octanol/water partition coefficient	mg/Kg=Milligrams per Kilogram	mg/L=Milligrams per Liter			
mL/Kg=Milliliters per Kilogram	mm HG=millimeters of mercury	NFPA=National Fire Protection Association			
NIOSH= National Institute for Occupational Safety and Health	NTP=National Toxicology Program	OSHA=Occupational Safety and Health Administration			
PEL=Permissible Exposure Limit	ppm=Parts per Million	RCRA=Resource Conservation and Recovery Act			
RQ=Reportable Quantities	RTECS=Registry of Toxic Effects of Chemical Substances	SARA= Superfund Amendments and Reauthorization Act			
SDS=Safety Data Sheet	SETIQ= Emergency Transportation System for the Chemical Industry; Mexico	STEL=Short Term Exposure Limit			
TLV=Threshold Limit Value	TPQ=Threshold Planning Quantity	TSCA=Toxic Substance and Control Act			
TWA=Time Weighted Average	UEL=Upper Explosive Limit	VOC=Volatile Organic Compounds			

SDS REVISIONS: Reformatted to meet GHS Requirements

SDS CREATION DATE: 11/01/13 **REVISION #0:** 11/01/13

DISCLAIMER

The information in this SDS was obtained from sources which we believe are reliable. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESSED OR IMPLIED, REGARDING ITS ACCURACY. Some conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT. All product measurements such as flash point, *etc.* are considered approximate values. All data provided by Coffeyville Resources Nitrogen Fertilizers. This SDS was prepared and is to be used only for this product.

SDS DEVELOPER: Cass Willard, CIH

DATE: <u>11/11/13</u>